

www.update-adtex.com

AD
TEX
SOLUTIONS

All
Kinds
of

Movable Trolley



AD TEX SOLUTION
NETWORK TECHNOLOGY



ALL KINDS OF MOVABLE TROLLEY & MATERIAL HANDLING

More than 430 type lift trucks with capacity from 500kg to 5000kg

Hand Pallet Truck



Hand pallet truck
Cap. : 2000kg, 2500kg, 3000kg,
3500kg, 5000kg
*photo shown BFill



Stainless steel pallet truck
Model: BFS
Cap. : 2500kg



Scale pallet truck
Model: BFC6
BFC6 stainless steel
BFC6-II with printer
Cap. : 2000kg



High lift pallet truck
Model: JF
Cap. : 1000kg

Lift table



Lift table
Model: SP/SPS/SPF
Cap. : 150kg~1500kg
Lift height: 0.74m~1.5m



Stationary lift table
Model: AL1/AL2
Cap. : 2700kg, 1000kg



Dock leveler
Model: DL
Cap. : 6000kg, 8000kg

Electric Pallet Truck



Semi-electric pallet truck
Model : CBD10A-II/CBD10A-III/CBD15A
Cap. : 1000kg, 1500kg



Mini electric pallet truck
Model: CBD15W
Cap. : 1500kg



Electric pallet truck
Model: CBD20K(D)
Cap. : 2000kg



Electric pallet truck
Model: CBD20M
Cap. : 2000kg



Electric pallet truck (Option EPS)
Model : CBD20R-II/CBD20R-III/CBD25R
Cap. : 2000kg, 2500kg



Electric pallet truck (EPS)
Model: CBD25T/CBD30T
Cap. : 2500kg~3000kg



Electric pallet truck
Model: CBD20Z/CBD25Z
Cap. : 2000kg, 2500kg

Stackers



Manual stacker
Model : SDJ500/SDJ00/SDJ1500
Cap. : 500kg, 1000kg, 1500kg
Lift height: 1m~3m



Semi-electric stacker
Model: CDD10B-II/CDD15B-III
Cap. : 1000kg, 1500kg
Lift height: 1.6m~3m



Full electric stacker
Model : CDDR15-I/CDDR15-II (2.5m~5.6m)
CDDR15-III (2.5m~3.3m)
Cap. : 1500kg



Electric stacker (Option EPS)
Model : CDDK15-I/CDDK15-II (2.5m~5.6m)
CDDK15-III (2.5m~3.3m)
Cap. : 1500kg



Electric reach stacker (Option EPS)
Model : CQDH12A/CQDH15A/CQDH20A
Cap. : 1200kg, 1500kg, 2000kg
Lift height: 2.5m~6m



Counterbalanced electric stacker
Model : CQD12W/CQD12R
Cap. : 1250kg
Lift height: 3m~5m

Order Picker



Electric high lever order picker
Model: OPS15
Cap. : 1500kg
Lift height: 5m~9m



Order picker (semi-electric/full electric)
Model: STD/SDD
Cap. : 400kg
Lift height: 3.5m~4.5m

Electric Tow Tractor



Electric tow tractor
Model : QDD20/QDD30/QDD50/QDD60/QDD1000
Cap. : 2000kg~10000kg

Electric platform tractor

Model : BD10S/15S, BD20/BD25/BD30
Cap. : 1000~3000kg



Electric truck with crane
Model: DC500
Cap. : 2000kg



Pedestrian tow tractor
Model: QDD25W
Cap. : 2500kg

Narrow Aisle Truck



Electric reach truck
Model : CQD10L/CQD15L, CQD10M/CQD15M
Cap. : 1000kg, 1500kg
Lift height: 3m~6.2m



Electric reach truck
Model : CQD20/CQD20H
Cap. : 2000kg
Lift height: 3m~7.4m, 8m~12m



Narrow Aisle Lift Truck (Option EPS)
Model: CDD15C
Cap. : 1500kg
Lift height: 5m~5.6m



Narrow Aisle Forklift Truck (Option EPS)
Model : CPD10A/CPD10B
Cap. : 1000kg
Lift height: 3~5m



Narrow aisle lift truck
Model: CDDRM-05/CDDRM-10
Cap. : 500kg, 1000kg
Lift height: 3.3m



Fork reach truck
Model: CQDH15C
Cap. : 1500kg
Lift height: 3m~6m

Forklift Trucks



Three-wheel electric forklift truck
Model : CPD20SA-16/CPD20SA-18/CPD20SA-20
Cap. : 1600kg, 1800kg, 2000kg
Lift height: 3m~5.6m



Four-wheel electric forklift truck
Model: FB16/FB18/FB20
Cap. : 1600kg, 1800kg, 2000kg
Lift height: 3m~6m



Four-wheel electric forklift truck
Model: FB25A/FB30
Cap. : 2500kg, 3000kg
Lift height: 3m~6m



Diesel forklift truck
Model : FD15/FD20/FD25/FD30/FD35
Cap. : 1500kg~3500kg
Lift height: 3m~6m



Gasoline & Dual fuel forklift truck
Model : FG15/FG20/FG25/FG30/FG35
FGY15/FGY20/FGY25/FGY30/FGY35
Cap. : 1500kg~3500kg
Lift height: 3m~6m



Explosion-proof electric forklift truck
Model : CPD15Ex/CPD20Ex/CPD30Ex/CPD35Ex
Cap. : 1500kg, 2000kg, 3000kg, 3500kg
Lift height: 3m~5m
Cert. No.: CNEx08.1896
Mark: Exd mbs II BT4 Gb/DIP A21 TA. T4

ALL KINDS OF MOVABLE TROLLEY & MATERIAL HANDLING

More than 430 type lift trucks with capacity from 500kg to 5000kg

Forklift (Electric)



E16/18/20e
Capacity: 1.6/1.8/2.0T
Lifting Height: 3000mm
Max. Lifting Height: 6500mm
ZAPI Full AC
Dual Driven Motors



E20/25/30/35
Capacity: 2.0/2.5/3.0/3.5T
Lifting Height: 3000mm
Max. Lifting Height: 6500mm
ZAPI Full AC



E20/25D
Capacity: 2.0/2.5T
Lifting Height: 3000mm
Max. Lifting Height: 6500mm
ZAPI Full AC



E15/18
Capacity: 1.5/1.8T
Lifting Height: 3000mm
Max. Lifting Height: 6500mm
ZAPI Full AC

Forklift (Gasoline/LPG)



G15/18
Capacity: 1.5/1.8T
Lifting Height: 3000mm
Max. Lifting Height: 6500mm



G20/25
Capacity: 2.0/2.5T
Lifting Height: 3000mm
Max. Lifting Height: 6500mm

Forklift (Gasoline/LPG)



G30/35/40
Capacity: 3.0/3.5/mini4.0T
Lifting Height: 3000mm
Max. Lifting Height: 6500mm



G45/50
Capacity: 4.0/mini5.0T
Lifting Height: 3000mm
Max. Lifting Height: 6500mm

Forklift (Heavy Duty)



H50
Capacity: 5.0T
Lifting Height: 3000mm
Max. Lifting Height: 6500mm



H60/70
Capacity: 6.0/7.0T
Lifting Height: 3000mm
Max. Lifting Height: 6500mm



H90/100
Capacity: 9.0/10.0T
Lifting Height: 3000mm
Max. Lifting Height: 6500mm



H120
Capacity: 12.0T
Lifting Height: 3000mm
Max. Lifting Height: 6500mm

Forklift (Diesel)



C15
Capacity: 1.5T
Lifting Height: 3000mm
Max. Lifting Height: 6500mm



C18
Capacity: 1.8T
Lifting Height: 3000mm
Max. Lifting Height: 6500mm



C20
Capacity: 2.0T
Lifting Height: 3000mm
Max. Lifting Height: 6500mm



C25
Capacity: 2.5T
Lifting Height: 3000mm
Max. Lifting Height: 6500mm



C30
Capacity: 3.0T
Lifting Height: 3000mm
Max. Lifting Height: 6500mm



C35
Capacity: 3.5T
Lifting Height: 3000mm
Max. Lifting Height: 6500mm

Forklift (Rough Terrain)



T20/25
Capacity: 2.0/2.5T
Lifting Height: 3000mm
Max. Lifting Height: 6500mm
Drive Type: 4x2



T30/35
Capacity: 3.0/3.5T
Lifting Height: 3000mm
Max. Lifting Height: 6500mm
Drive Type: 4x2



T40/50
Capacity: 4.0/5.0T
Lifting Height: 3000mm
Max. Lifting Height: 6500mm
Drive Type: 4x2



T20/25/30/35A
Capacity: 2.0/2.5/3.0/3.5T
Lifting Height: 3000mm
Max. Lifting Height: 6500mm
Drive Type: 4x4

Electric Pallet Truck (Walkie)



P10/12/14/15
Capacity: 1.0/1.2/1.4/1.5T
Fork Width: 540/685mm
Fork Length: 1150/1220mm
ZAPI Full AC
Battery: 24V 210AH



P16/18
Capacity: 1.6/1.8T
Fork Width: 540/685mm
Fork Length: 1150/1220mm
ZAPI Full AC
Battery: 24V 240AH

Electric Pallet Truck (Walkie)



P20/25
Capacity: 2.0/2.5T
Fork Width: 540/685mm
Fork Length: 1150/1220mm
ZAPI Full AC
Battery: 24V 240/270AH



P30
Capacity: 3.0T
Fork Width: 540/685mm
Fork Length: 1150/1220mm
ZAPI Full AC
Battery: 24V 270AH

Electric Pallet Truck (Rider)



P10/12/14/15S-T
Capacity: 1.0/1.2/1.4/1.5T
Fork Width: 540/685mm
Fork Length: 1150/1220mm
ZAPI Full AC
Battery: 24V 210AH



P16/18S-T
Capacity: 1.6/1.8T
Fork Width: 540/685mm
Fork Length: 1150/1220mm
ZAPI Full AC
Battery: 24V 240AH



P20/25-T
Capacity: 2.0/2.5T
Fork Width: 540/685mm
Fork Length: 1150/1220mm
ZAPI Full AC
Battery: 24V 240/270AH



P30-T
Capacity: 3.0T
Fork Width: 540/685mm
Fork Length: 1150/1220mm
ZAPI Full AC
Battery: 24V 270AH

Electric Stacker (Walkie)



S10/12L
Capacity: 1.0/1.2T
Lifting Height: 3000mm
Max. Lifting Height: 4500mm
ZAPI Full AC
Battery: 24V 210AH



S14L
Capacity: 1.4T
Lifting Height: 3000mm
Max. Lifting Height: 4500mm
ZAPI Full AC
Battery: 24V 210AH



S16/18L
Capacity: 1.6/1.8T
Lifting Height: 3000mm
Max. Lifting Height: 4500mm
ZAPI Full AC
Battery: 24V 240AH



S20L
Capacity: 2.0T
Lifting Height: 3000mm
Max. Lifting Height: 4500mm
ZAPI Full AC
Battery: 24V 240AH

ALL KINDS OF MOVABLE TROLLEY & MATERIAL HANDLING

More than 430 type lift trucks with capacity from 500kg to 5000kg

Electric Stacker (Rider)



S10/12L-T
Capacity: 1.0/1.2T
Lifting Height: 3000mm
Max. Lifting Height: 4500mm
ZAPI Full AC
Battery: 24V 210AH



S14L-T
Capacity: 1.4T
Lifting Height: 3000mm
Max. Lifting Height: 4500mm
ZAPI Full AC
Battery: 24V 210AH



S16/18L-T
Capacity: 1.6/1.8T
Lifting Height: 3000mm
Max. Lifting Height: 4500mm
ZAPI Full AC
Battery: 24V 270AH



S20L-T
Capacity: 2.0T
Lifting Height: 3000mm
Max. Lifting Height: 4500mm
ZAPI Full AC
Battery: 24V 270AH

Semi-Electric Stacker



SH10/15/20
Capacity: 1.0/1.5/2.0T
Lifting Height: 1600/2000/2500/
3000/3500mm

Hand Pallet Truck



PH15/18
Capacity: 1.5/1.8T
Fork Width: 520/685mm
Fork Length: 1150/1220mm
Battery: 24V 20AH Lithium



M25/30
Capacity: 2.5/3.0T
Fork Width: 520/685mm
Fork Length: 1150/1220mm
Wheel: Pu/Nylon/Rubber

Electric Pallet Truck



P15
Capacity: 1.5T
Fork Width: 550/685mm
Fork Length: 1150/1220mm
Battery: 24V 20AH Lithium

Aerial Working Platform (Scissors Lift)



ZS0407/0607(w)
Power Type: Electric
Driving Type: HD
Capacity: 280/230kg
Working Height: 6.52/7.8m

Aerial Working Platform (Scissors Lift)



ZS1012
Power Type: Electric
Driving Type: HD
Capacity: 320 kg
Working Height: 11.96m



ZS1212
Power Type: Electric
Driving Type: HD
Capacity: 320 kg
Working Height: 13.9m



ZS1623RT
Scissors Rough Terrain
Power Type: Electric
Platform Capacity: 680 kg
Working Height: 18m



Hydraulic Elevating Plaiter
Suitable for roller, able to cooperate with wide-in-order inspecting truck
Capacity: 200 kg
Overall size: 800x550x1346mm



Hydraulic unloaded beam conveyor
Suitable for all kind of beam doffing and transporting
Capacity: 260kg
Overall size: 800x510x1026mm



Hydraulic big X-sign fully loaded beam conveyor
Suitable for the transportation of the big width fully loaded warp beam
Capacity: 1500kg
Overall size: depends on the specifications of the beam



Hydraulic tipping beam conveyor
Suitable for all kinds of sizing machine beaming and transporting
Capacity: 1000kg (1000)
Overall size: 1100x1050x900mm



Hydraulic beaming vehicle with frame
Suitable for all kinds of loom with frame beaming and transporting
Capacity: 1500kg
Overall size: depends on the specifications of the weaving machine



Hydraulic single-bucket beaming vehicle with frame
Suitable for all kinds of beaming and transporting
Capacity: 1000kg
Overall size: depends on the specifications of the weaving machine



Hydraulic beaming vehicle with frame
Suitable for all kinds of loom with frame beaming and transporting
Capacity: 1500kg
Overall size: depends on the specifications of the weaving machine



Hydraulic beaming vehicle
Suitable for all kinds of loom beaming and transporting
Capacity: 1500kg
Overall size: depends on the specifications of the weaving machine



Hydraulic double-bucket beaming vehicle with frame
Suitable for double-wrap beam loom (width of cloth between 360 and 390) beaming and transporting
Capacity: 2000kg
Overall Size: depends on the specifications of the weaving machine



Hydraulic towel loom beaming vehicle
Suitable for towel loom beaming (75")
Capacity: 1000kg
Overall size: 2450x700x2000mm



Double-beam towel loom beaming vehicle
Suitable for all kinds of dual towel loom beaming
Capacity: 2000kg
Overall size: depends on the specifications of the weaving machine



Double full loaded beam conveyor
Suitable for storage and transportation for all kinds of double beam machine with frame



Full-loaded beam conveyor
Suitable for storage and transportation for all kinds of double beam machine with frame



Warp loom beam truck
Suitable for all kinds of warp loom beaming
Capacity: 1500kg
Overall size: 1600x1000x2200mm



Electric towel loom beam truck
Suitable for all kinds of double-layer beam, with electric warp beaming
Capacity: 1500kg
Overall size: depends on the specifications of the weaving machine



Electrical lifting trolley for double-layer weaving machine
Capacity: 2000kg
Overall size: depends on the specification of the weaving machine

ALL KINDS OF MOVABLE TROLLEY & MATERIAL HANDLING

More than 430 type lift trucks with capacity from 500kg to 5000kg

Self Propelled Scissor Lift 5 m




Lifting height 5m
Load capacity 280kg
Platform size 1.79m by 0.74m
Battery : 4pcs*6/230 v/Ah

24m Spider Lift



Load capacity: 200kg
Working height: 26000mm
Rotation: 360

Mobile Container Loading Ramp



Length: 11m
Width: 2.08m
Working height: 1-1.8m
Capacity: 5-15t

4.8m Mini Electric Scissor Lift



Lifting height 5m
Load capacity 280kg
Platform size 1.79*0.74m
Battery : 4pcs*6/230 v/Ah

14m Diesel-Powered Articulated Boom Lift



Load capacity : 230kg
Working radius: 8000mm
Lifting height: 14000mm

12t Stationary Hydraulic Dock Ramp



Loading capacity: 12000kg
Lifting Height : +0.4/-0.3m
Overall dimension : 2x2x0.6m

12m Electric Scissor Lift



Lifting height 11.557m
Load capacity 230kg
Platform size 2.26m by 1.13m
Battery : 4pcs*6/230 v/Ah

24m Boom Truck Lift Rental



Load capacity: 200kg
Working height: 24000mm
Working radius : 12000mm

Mobile Work Platforms 14m



Load capacity : 300kg
Platform size: 2800x1500mm
Lifting height: 14000mm

10m Diesel Power Scissor Lift



Lifting height 10.08m
Load capacity 1150kg
Platform size 3.95m by 1.83m

10.5m height aerial lift



Load capacity: 200kg
Lifting height : 10500mm
Power: Diesel

Trailer Scissor Lift



Load capacity : 300kg
Platform size: 1650x800mm
Travel: 6000mm

Articulated Track Boom Lift ALT18



Load capacity : 200kg
Turntable rotation:
359°non-continuous
Lifting height: 16000mm

15t Heavy Duty Loading Ramps



Load capacity:15000kg
Working Height:1000-1800 mm
Platform size:11000*2000mm

Cargo Scissor Lift



Load capacity : 2000kg
Platform size: 1800x1200mm
Travel : 3500mm



Bangladesh Office

Head Office

16/9 Azam Road (1st Floor)
 Mohammadpur, Dhaka-1207, Bangladesh.
 Mobile: +88 01709 933 128
 Phone : +88 02 9112310, +88 02 9103266
 E-mail : info@update-adtex.com
 Shahid.nettec04@gmail.com
 mdjahid0050@yahoo.com

Corporate Office

Plot No.53, Road No.2, Block-B
 Green City Housing, Mohammadpur
 Dhaka-1207.
 Mobile: +88 01709 933 128

China Office

Guangzhou Branch

Room 300, Block B, Lianming Business
 Centre, No. 20 Songbai East Street
 Baiyun District, Guangzhou
 Guangdong, China
 Tel : +8602-36591076
 Mobile : 008613422330290

Australia Office

25 Kyle Street, Arncliffe NSW 2205
 Sydney, Australia
 Phone : +61416176359
 E-mail : sales@hmrgroup.com